




Veriton VX4720GT

Intel® Core™ i7 14700





Product views	<ol> <li>Power button</li> <li>One button recovery</li> <li>Ge</li> </ol>	ree USB 3.2 Gen 1 (5 Gbps) to A ports and one USB 3.2 n 2 (10 Gbps) Type A port B 3.2 Gen 2 (10 Gbps) Type C t	<ol> <li>Audio jacks</li> <li>Two DisplayPorts™</li> <li>HDMI® port 2.1</li> <li>Four USB 2.0 (480 Mbps)         Type A ports</li> <li>COM (Serial) port (optional)</li> </ol>	<ul><li>13. VGA port</li><li>14. GB Ethernet (RI-45) port</li><li>15. Power connector (DC-in)</li></ul>
Operating system <sup>1, 2</sup>	Windows 11 Pro 64-bit		·	
CPU and chipset <sup>1</sup>	Intel® Core™ i7 14700 14th gen processors Cache 33MB, 20Cores/28 Threads vPro Enterprice			
Memory <sup>1, 3, 4</sup>	16 GB DDR5 5400 MHz UDIMM Up to 128 GB of Dual-channel DDR5 4000 MHz			
Storage <sup>1, 5</sup>	Solid state drive: • 512 GB M.2 2280 PCI-e Gen4 SSD			
Optical media drive	YES			
Graphics <sup>6</sup>	Integrated Intel® UHD Graphics 770			
Audio	Integrated high-definition, 5.1-channel surround sound			
Communication	<b>WLAN:</b> 802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth® 5.0			
Expansion slot(s)	PCIe x16 slot: 2 PCIe x1 slot: 1 PCI slot: 1 M.2 slot (for SSD): 2 M.2 slot (for WLAN): 1			
Commercial features	TPM v2.0 (Trusted Platform Module) Kensington lock slot Hard drive password protection (via BIOS)		RAID support (via BIOS) WOL (Wake On Lan)	
Commercial selected options	SD card reader module Internal speaker			
Dimensions	105 (W) x 335 (D) x 335 (H) mm (4.13 x 13.19 x 13.1	9 inches)		
Power supply and adapter	<b>Power supply:</b> 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PL	US <sup>®</sup> Platinum, TFX		
System compliance	EPEAT <sup>®</sup> Gold (United States, France, Taiwan) RoHS DMI	E	GS ENERGY STAR* PC2001	
Options and accessories	Wireless (2.4 GHz RF) keyboard and mouse USB keyboard and mouse			
Certification	TCO Certified, BSMI, VCCI, CE, FCC, CB, MIL-STD-810			

Specifications may vary depending on model and/or region. All models subject to availability.

64-bit software is required to enjoy the advantages of 64-bit processing.

A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.

Memory speed may vary, depending on the CPU, chipset or memory fitted.

1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on or preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.

Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary In a continuing effort to improve the quality of our products, information in this document is subject to change mention metals in a continuing effort to improve the quality of our products, information in this depending on region.

© 2024, All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Arc, Arria, Celeron, Cyclone, eASIC, Intel Ethernet, Intel, the Intel logo, Intel Agilex, Intel Atom, Intel Core, Intel Evo, Intel Inside, the Intel Inside logo, Intel Optane, Intel vPro, Iris, Killer, MAX, Movidius, Pentium, Intel RealSense, Intel Select Solutions, Intel SI Photonics, Stratix, the Stratix logo, Tofino, Ultrabook, Xeon are trademarks of Intel Corporation or its subsidiaries.